



STANDARD SIZES IN STOCK, SANFROMD THICKNESS

22 mm 1100 x from 900 to 1200
 1100 x from 1300 to 1500
 1100 x from 1600 to 1900
 1100 x from 2000 to 2400
 1100 x from 2500 to 2900

33 mm 1100 x from 900 to 1200
 1100 x from 1300 to 1500
 1100 x from 1600 to 1900
 1100 x from 2000 to 2400
 1100 x from 2500 to 2900
 1100 x 3000

40 mm 1100 x from 900 to 1200
 1100 x from 1300 to 1500
 1100 x from 1600 to 1900
 1100 x from 2000 to 2400
 1100 x from 2500 to 2900
 1100 x 3000

42,5 mm 650 x from 900 to 1200

70 x 70 x 740



Characteristics of the PANELS

kiln-dried 10 % (+/- 2 %),
wide lamellas : average 80 mm/+,
D4 glue, both sides sanded G150,

all panels individually plastic wrapped.





OAK PANELS WITH FINGERJOINT



READY TO USE PANELS

STANDARD SIZES IN STOCK,
SUPERIOR QUALITY, SANDED THICKNESS

18 mm	1m10 x 4m50	36 pcs/bundle
22 mm	1m10 x 4m50	30 pcs/bundle
30 mm	0m71 x 3m65	32 pcs/bundle
	0m81 x 3m65	32 pcs/bundle
	1m21 x 3m65	20 pcs/bundle
33 mm	1m10 x 4m50	20 pcs/bundle
40 mm	0m65 x 4m50	25 pcs/bundle
	0m65 x 5m10	25 pcs/bundle
	1m10 x 4m50	17 pcs/bundle
44 mm	1m10 x 4m50	15 pcs/bundle
56 mm	0m65 x 4m50	20 pcs/bundle
63 mm	0m65 x 4m50	17 pcs/bundle
72 mm	0m65 x 4m50	15 pcs/bundle

SQUARES IN STOCK

70 x 70 x 4500	56 pcs/bundle
85 x 85 x 4500	55 pcs/bundle

Characteristics of the PANELS
kiln-dried 10 % (+/- 2 %), D4 glue,
lamellas approx 45 mm (38-52), uniform in each panel,
both sides sanded G180,
all panels individually plastic wrapped.

WE ALSO PRODUCE TO YOUR SPECIFICATIONS
panels, squares, door frames, glued table legs, etc.
minimum quantity: 5-10 m3
delivery time = approx 12 weeks.



With more than 5000 m3 permanent stock in panels
and 17 years of panel experience, DB Hardwoods
can guarantee a short delivery time (max 1 week)
and a constant quality.

V.19.1



DB HARDWOODS
HIGH QUALITY HARDWOODS & SOLID PANELS

www.dbhardwoods.com